

LETTER To CHARLES LUCY
© 1992 by Eric Wilson
(sheet ① of 19 sheets)

844 N. Ave 65
Los Angeles, CA 90042

Phone (213) 256-2624
April 8, 1992

①

Dear Charles,

Thank you for the utterly delightful tape. The comparisons with 12-scale are musically valid and interesting, and reveal your musical background.

The interval $\frac{1}{\pi}$ (.318309886) may be factored into an otherwise mundane tonal formula in a spectrum of intriguing and poly-culturally significant ways. I am absolutely certain than that these will be far more interesting to you than the entrenched 12-scale. I will comment briefly on them.

Item 1: $(\frac{1}{\pi} + 3)/8 = .414788735$ Octave. This Fourth superimposed 8 times gives 3 octaves plus the major Third ($\frac{1}{\pi}$). It runs parallel to Jami's 17-tone tuning of 13th century Persia, and to the subsequent 22-tone scale of northern India. It is likewise analogous to "Helmholtzian" tuning. The Seventh harmonic is remarkably good in this π tuning and surpasses that of Helmholtzian. Nested 2-interval patterns occur at (1), 2, 3, 5, 7, 12, 17, 29, 41, 53, 94, 135, 176, 311, 487, 798, 1109, and 1420 tones. 1420 is an auspicious break point in the $\frac{1}{\pi}$ zig-zag pattern; it factors to $2^2 \cdot 5 \cdot 71$.

Item 2: $(\frac{1}{\pi} + 5)/9 = .59092332$ Octave. This Fifth superimposed 9 times gives 5 octaves and the major third ($\frac{1}{\pi}$). This runs parallel to the classic Indian writings wherein the Fifth has 13 s'rutis and the major third 7 s'rutis. (and the 8th 22) $(9 \times 13 \text{ s'rutis equals } 5 \times 22 \text{ s'rutis} + 7 \text{ s'rutis})$. $\underline{\underline{5/22}} (2 \times 11)$ is a prominent breakpoint, as is ~~488~~3195 ($3^2 \cdot 5 \cdot 71$) much farther down the zig-zig pattern. It is interesting how closely this tuning comes to 22 equal, 22 Fifths exceeding 13 Octaves by .0003 Octave.

$(22 \times .59092332 = 13.00031306)$. The difference between $\frac{1}{\pi}$ (.318309886) and $\frac{7}{22}$ (.318181818) is .000128068 Octave. The 22-scale is very effectively a cycle of $\frac{1}{\pi}$ Thirds.

Item 3: $(\frac{1}{\pi} + 2)/4 = .579577471$. This Fifth superimposed 4 times gives 2 Octaves and the major third ($\frac{1}{\pi}$). This is John Harrison's tuning. [Were " $\log_2(\frac{5}{4})$ " substituted for " $\frac{1}{\pi}$ " we would have the recipe for quarter comma meantone $(\log_2(\frac{5}{4}) + 2)/4 = .580482023$.] This is a western European tuning, and suitable to western European music. Nested 2-interval-patterns (MOS) occur at (1), 2, 3, 5, 7, 12, 19, 31, 50, 69, 88, 157, 245, 333, 421, 754 1087, at 1420. At 1420 ($2^2 \cdot 5 \cdot 71$) there is a very major break, as also noted in item 1. Something odd is going on here.

Item 4: $(\frac{1}{\pi} + 1)/5 = .263661977$. This minor Third superimposed 5 times gives 1 Octave and the major Third ($\frac{1}{\pi}$). This tuning is aligned to the Hanson tuning where 6 minor Thirds add up to an Octave and the Fifth. While quite unorthodox, this interesting tonal association is worth exploring. Nested 2-interval patterns occur at (1), 2, 3, 4, 7, 11, 15, 19, 34, 53, 72, 91, 110, 201, 311, 421, 732, 1043, and at 1775 ($5^2 \cdot 71$) at which point a major break occurs.

Item 5: $\frac{1}{\pi} = .318309886$. This major Third superimposed 5 times gives 1 octave plus a Fifth at 1.591549431. (See figure 1.) While this is an extremely exotic tonal association it is harmonically economical and melodically very beautiful. And it is after all a continuous chain of $\frac{1}{\pi}$ projected around the Octave circle. This should reveal some of the properties of this interval.

(3)




Figure 1.

- and indeed it does. The zig-zag pattern is extremely unusual, moving in bold slashes across the page. One would like to look at this pattern with quite a few more decimal places in the calculator. The nested 2-interval patterns are at (1), 2, 3, 4, 7, 10, 13, 16, 19, 22, 25, 47, 69, 91, 113, 135, 157, 179, 201, 223, 245, 267, 289, 311, 333, 355 -- with break points at 3, 22(2×11), and 355(5×71). This explains why we're getting breakpoints in the other scales at multiples of 22 and 355. But does it explain what's going on?

Item 6: $(\frac{1}{\pi} + 1)/3 = .439436628$ Octave. This large Fourth superimposed 3 times gives the Octave and a major Third ($\frac{1}{\pi}$). This falls within a Pelog tolerance, and altho somewhat rare, I have seen Pelog tuning tables where the "closing" Fourth of a 7-tone 2-interval pattern is very much like the frequency ratio of 9/7 (.36257 Octave). Compare with $6 \times ((\frac{1}{\pi} + 1)/3)$. This large Fourth superimposed

Six times and subtracted from 3 Octaves is .36338 Octave. The nested 2-interval-patterns are (1), 2, 3, 5, 7, 9, 16, 25, 41, 66, 91, 157, 223, 289, and breaking at 355 (5×71). This is really a very lovely tuning.

There is "golden" sequence from thru 7, 9, 16, 25, 41, 66 which makes for excellent melody. 66, (a smaller breakpoint) it should be noted is a multiple of 22 ($2 \times 3 \times 11$).

Item 7: $(\frac{1}{\pi} + 1)/6 = .219718314$ Octave. (This tuning is aligned to Item 6, bisecting its Large Fourth.) Six of these Small minor Thirds superimposed give 1 Octave plus the Major Third ($\frac{1}{\pi}$). Chains of small minor Thirds very much like this would seem to have very much influenced the way Pelog is actually tuned. (I hasten to add Pelog is poorly understood.) This is a very Pacific sound. Nested 2-interval-patterns occur at (1), 2, 3, 4, 5, 9, 14, 23, 32, 41, 50, 91, 132, 223, and with again a major breakpoint at 355 (5×71). A golden sequence occurs at 4, 5, 9, 14, 23 which is prime melodic range. It is interesting that Jap Kunst considered 23 to be a measure of Pelog. Also ref Hornbostel's cycle of 23* (overblown Fifths).

Item 8: $(\frac{1}{\pi} + 1)/7 = .188329983$ Octave. This large Second super-imposed 7 times gives the Octave plus $\frac{1}{\pi}$ Third. I have seen a tuning quite similar to this on the Andean Gueña producing a Pentatonic/Hexatonic scale by large Seconds. This is related to Slendro of Java and may well be within Slendro tolerance. The nested 2-interval patterns occur at (1), 2, 3, 4, 5, 6, 11, 16, 21, 37, 53, 69, 85, 154, 223, 377, 600, 977, 1354, 1731, 2108, and 2485 ($5 \times 7 \times 71$) which is at the big breakpoint.

Item 9: $(\frac{1}{\pi} + 2)/8 = .289788735$ Octave. This tuning is aligned to item 3 whose Fifth it divides in half.

The result is the "neutral" Third found throughout world music, almost anywhere but in Western Europe.

(This neutral Third corresponds very closely to the frequency ratio $11/9$ (.289506617 Octave) which occurs commonly in aliquot flutes.) This neutral Third superimposed 8 times gives 2 Octaves and the $\frac{1}{\pi}$ Third. The nested 2-interval-patterns occur at (1), 2, 3, 4, 7, 10, 17, 24, 31, 38, 69, 107, 176, 245, 421, 666, 1087, 1753, and ~~2844~~ 2840 ($2^3 \times 5 \times 71$) which is the breakpoint.

$$(5 - \frac{1}{\pi})/16 \Rightarrow$$

Item 10: ~~$(1 + \frac{1}{\pi} + 4)/16 = .292605632$~~ Octave. This tuning is tied to item 1, the Fifth of which it divides in 2 parts, producing again a neutral Third ~~but~~ more similar to the frequency ratio $27/22$ and $11/9$ about equally.

This neutral Third superimposed 16 times gives 5 Octaves less the $\frac{1}{\pi}$ Third. In the 17-tone 2-interval-pattern $\frac{1}{\pi}$ will be the "closing interval" in the cycle of otherwise neutral Thirds. Altho it occurs only once, it occurs nevertheless at the most definitive position in the scale.

It's an intriguing relationship. The nested 2-interval-patterns occur at (1), 2, 3, 4, 7, 10, 17, 24, 41, 65, 106, 147, 188, 229, 270, 311, 352, 663, 974, 1285, 1596, 1907, 2218, 2529, and 2840 ($2^3 \times 5 \times 71$) where, as in item 9, it makes a major break. This tuning has an excellent Turkish / Arabic / Persian quality about it. It also lends itself to a remarkably decent bagpipe scale.

Scale Tree, (0/1 thru 1/1)
 © 1992 by Erv Wilson




Figure 2

Note; the r.h. half of this branch is the Octave complement of the l.h. half. It is included nonetheless for reader convenience, as when the Fifth, not the Fourth, is used as the generator.

The "generator" or "generating interval" is that interval which projected about the cycle of the Octave, produces the sequence of 2-interval-patterns. These 2-interval-patterns may be identified by a fraction where the numerator is the number of intervals in the generator, and the denominator is the number of intervals in the Octave. It is possible to predict the sequence of 2-interval-patterns from the generator when it is expressed as a decimal fraction of the Octave, and where the Octave is taken as 1.000; First create a

$\frac{1}{4}$ zig-zag table — by inverting the generator


.579577471 ← (example, Harrison's Fifth)

← 1	.725394877	Subtract the number left of the decimal point and tabulate it in a column to the left.
→ 1	.378559502	Invert ($\frac{1}{4}$) the remaining decimal value, repeating the same operation as above.
← 2	.641 etc	Continue this repeating process as appropriate.
→ 1	.558 etc	
← 1	.790 --	
→ 1	.265 --	
← 3	.764	
→ 1	.307	
← 3	.249	
→ 4	.013	
← 74	.188	


Beginning with an arrow pointing left (\leftarrow) indicate the zig-zag sequence

The table is complete, and ready for use.

The next operation is in the context of the "Scale Tree" which is constructed by a process of iterated triangulation, by summing the numerators and denominators respectively as shown: (also see Fig 2)



Each layer of the tree will have 1 member of the nested 2-interval-pattern series associated to any given generator. The nested sequence will be connected by a (usually) irregularly zig-zagging ^{single} branch (connected by the arrows in Figure 2) start with $\frac{1}{1}$ in the upper right ^{of tree}. Refer to the table of numbers from the left of the decimal point: \leftarrow means zig to the left as many moves as indicated by the corresponding number, and \rightarrow means zag to the right corresponding to the appropriate number. The pattern is as shown;



Item 11: $(\frac{1}{\pi} + 5)/13 = .40910076$ Octave. (This is the complementary tuning to Item 2.) This Fourth superimposed 13 times gives 5 Octaves and $\frac{1}{\pi}$ Third. The nested 2-interval-patterns are ~~13~~, at (1), 2, 3, 5, 7, 12, 17, and at 22 (exii) which is a significant break-point. 22 times this Fourth exceeds 9 Octaves by .00021673 Octave, which interval is impractical to fret. A further breakpoint occurs much further down the series at 4615 ($5 \times 13 \times 71$).

Item work sheets are enclosed.

I've got to sort my seeds for planting of Quinoa and relatives in about 2 weeks in northwest Chihuahua. — Hope these will give you some productive cues on the varied resources of π as a tonal determinant. I should very much like to hear more about your work with the Dolphins.

Yours Sincerely,
Esw Wilson

$$(1/\pi + 3)/8 = .414788735$$

(10)

$\frac{1}{\pi}$ zig-zag pattern
.414788735

ITEM 1

work sheet

←	2	, 410
→	2	, 433
←	2	, 304
→	3	, 281
←	3	, 555
→	1	, 800
←	1	, 249
→	4	, 006
←	144	, 603

$\frac{0}{1} - - - - \frac{1}{2}$
 $\frac{1}{3} - \frac{2}{5}$
 $\frac{3}{4} - \frac{5}{12}$
 $\frac{7}{17} - \frac{12}{29}$
 $\frac{17}{41} - \frac{22}{53}$
 $\frac{39}{94} - \frac{56}{135}$
 $\frac{129}{311} - \frac{73}{176}$
 $\frac{202}{487} - \frac{331}{798}$
 $\frac{469}{1109} - \frac{589}{1420}$
 $\frac{589}{1420} - \frac{78}{1731}$

$20 \times 71 \rightarrow .414788732$
 $.414788732$
 $.414788739$

$$(1/\pi + 5)/9 = .59092332$$

$\frac{1}{\pi}$ Zig-Zag Pattern

←	1	, 692
→	1	, 444
←	2	, 249
→	4	, 006
←	144	, 969
→	1	, 031
←	31	, 621
→	1	, 608
←	1	, 642
→	1	, 557

ITEM 2

work sheet

$\rightarrow .59090909 \frac{13}{22}$

$\frac{16}{27}$
 $\frac{29}{49}$
etc to

.590923416 1875/3173 #143

$\rightarrow .590923317 \frac{1888}{3195} \#144$

(3², 5, 71)

$$(\frac{1}{\pi} + 2)/4 = .579577471$$

ITEM 3

work sheet

$\frac{1}{\pi}$ Zig-Zag Pattern

←	1	.725
→	1	.378
←	2	.641
→	1	.558
←	1	.790
→	1	.265
←	3	.764
→	1	.307
←	3	.249
→	4	.013
←	73	.188
		SPUR
	5	.298
	3	.345
	2	.893
	1	.119
	8	.396
	2	.520
	1	.920
	1	.086
	11	.621
	1	.609
	1	.640
	1	.561
	1	.782
	1	.278
	3	.588
	1	.699960324
	1	.428652404
	2	.332892548
	3	.003972317
	251	.7422204 ! another spur
	1	.347

0/1 - - - - - $\frac{1}{2}$ $\frac{1}{1}$

$\frac{2}{3}$
 $\frac{3}{5}$

$\frac{4}{7}$
 $\frac{7}{12}$

$\frac{11}{19}$
 $\frac{18}{31}$

$\frac{29}{50}$

$\frac{40}{69}$

$\frac{5}{82}$
 $\frac{9}{157}$

$\frac{142}{245}$
 $\frac{193}{333}$

$\frac{244}{421}$

$\frac{437}{754}$

$\frac{630}{1087}$

$\frac{1016}{1753}$

$\frac{1839}{3173}$

etc $\frac{1}{73}$ places

$$(\sqrt{\pi} + 1)/5 = .263661977$$

12

ITEM 4

worksheet

1/x Pattern

↑	3	, 792
↓	1	, 261
↑	3	, 824
↓	1	, 212
↑	4	, 705
↓	1	, 416
↑	2	, 399
↓	2	, 504
↑	1	, 983
↓	1	, 017
↑	58	, 129

O/I - - - - -

$\frac{1}{2}$

— 1 —

145

27

3/11

4/15

19

9/34

4/53

卷之三

— 10 —

•
•

1201

11

3 / 732

275 / 10

468
1775

1743

58 places

— 1 —

[View all posts by admin](#)

$$71 \times 25 \rightarrow .263661971 \quad \begin{array}{r} 468 \\ 1775 \\ \hline 743 \end{array} \quad 1/2818$$

.263662171

Places

(13)

ITEM 5

worksheet

$$\frac{1}{\pi} = .318309886$$

$\frac{1}{\pi}$ zig-zag pattern

\leftarrow	3	.141
\rightarrow	7	.062
\leftarrow	15	.996
\rightarrow	1	.003
\leftarrow	292 spur	.634
1		etc
1		
1		

$$\frac{1}{1} - \frac{1}{2} - \frac{1}{3} - \frac{1}{4} - \frac{1}{5} - \frac{1}{6} - \frac{1}{7} - \frac{1}{8} - \frac{1}{9} - \frac{1}{10} - \frac{1}{11} - \frac{1}{12} - \frac{1}{13} - \frac{1}{14} - \frac{1}{15} - \frac{1}{16} - \frac{1}{17} - \frac{1}{18} - \frac{1}{19} - \frac{1}{20} - \frac{1}{21} - \frac{1}{22} - \frac{1}{23} - \frac{1}{24} - \frac{1}{25} - \frac{1}{26} - \frac{1}{27} - \frac{1}{28} - \frac{1}{29} - \frac{1}{30}$$

2 cont

$$1 \quad 5$$

$$\rightarrow .318181818$$

$$4 \quad 4$$

$$\frac{7}{22}, \frac{8}{25}$$

$$1 \quad 1$$

$$\frac{15}{47}$$

$$2 \quad 9$$

$$\frac{22}{69}$$

$$14 \quad 2$$

$$\frac{29}{81}$$

$$16 \quad 2$$

$$\frac{36}{113}$$

$$13 \quad 2$$

$$\frac{43}{135}$$

$$1 \quad 8$$

$$\frac{50}{157}$$

$$11 \quad 3$$

$$\frac{57}{179}$$

$$1 \quad 1$$

$$\frac{64}{201}$$

$$1 \quad 14$$

$$\frac{71}{223}$$

$$3 \quad 2$$

$$\frac{78}{245}$$

$$1 \quad 129 \text{ another spur}$$

$$\frac{85}{267}$$

$$1$$

$$\frac{92}{289}$$

$$\frac{99}{311}$$

$$\frac{106}{333}$$

$$(5 \times 71) \rightarrow .318309859$$

$$\frac{113}{355}$$

$$\frac{219}{688}$$

$$\frac{332}{1043}$$

etc to

$$.318309886$$

$$33102 / 103993$$

$$\# 291 \}$$

$$.318309886$$

$$33215 / 104348$$

$$\# 292 \}$$

(14)


$$(\frac{1}{\pi} + 1) / 3 = .439436628$$

ITEM 6

work sheet

1/4 zig-zag Pattern

←	2	.275
→	3	.627
←	1	.592
→	1	.687
←	1	.454
→	2	.200
←	4	.998
→	1	.001
←	880	.012



$$\rightarrow (5 \times 71) .439436619 \quad \frac{156}{355}$$

$$\frac{283}{644}$$

$$\frac{439}{999}$$

etc 880 places!


$$(\frac{1}{\pi} + 1)/6 = .219718314$$

ITEM 7

work sheet

$\frac{1}{\pi}$ zig-zag pattern

\leftarrow	4	.551
\rightarrow	1	.813
\leftarrow	1	.228
\rightarrow	4	.375
\leftarrow	2	.666
\rightarrow	1	.500
\leftarrow	1	.999
\rightarrow	1	.000567
\leftarrow	1761	.234



$$\rightarrow (5 \times 71) .219718309$$

$$\frac{78}{355}$$

$$\frac{127}{578}$$

$$\frac{205}{933}$$

etc 1761 places!

137485 / 625733 off the keyboard

$$(\frac{1}{\pi} + 1) / 7 = .188329983$$

ITEM 8

work sheet

 $\frac{1}{\pi}$ zig-zag pattern

←	5	.309
→	3	.227
←	4	.393
→	2	.538
←	1	.856
→	1	.167
←	5	.976
→	1	.024
←	41	.097

0/1

1/1

$\frac{1}{2}$, $\frac{1}{3}$, $\frac{1}{4}$, $\frac{1}{5}$, $\frac{2}{11}$, $\frac{3}{16}$, $\frac{4}{21}$,
 $\frac{7}{37}$, $\frac{10}{53}$, $\frac{13}{69}$, $\frac{16}{85}$, $\frac{29}{154}$, $\frac{42}{223}$,
 $\frac{71}{377}$, $\frac{113}{600}$, $\frac{184}{977}$, $\frac{255}{1354}$,
 $\frac{324}{1731}$, $\frac{397}{2108}$, $\frac{468}{2485}$

→ $(35 \times 71) .188329979$

$$(\frac{1}{\pi} + 2)/8 = .289788735$$

(17)

ITEM 9

work sheet

1/π zig-zag pattern

← 3	, 450
→ 2	, 218
← 4	, 580
→ 1	, 723
← 1	, 382
→ 2	, 615
← 1	, 624
→ 1	, 601
← 1	, 663
→ 1	, 506
← 1	, 973
→ 1	, 027
36	, 083

0/1 - - - - - 1/1

$\frac{1}{4}$ ↗ $\frac{1}{3}$
 $\frac{2}{7}$ ↗ $\frac{3}{10}$
 $\frac{5}{17}$

$\frac{7}{24}$
 $\frac{9}{31}$
 $\frac{11}{38}$
 $\frac{20}{69}$
 $\frac{31}{107}$
 $\frac{51}{176}$
 $\frac{71}{245}$

$\frac{122}{421}$
 $\frac{193}{666}$

$\frac{315}{1087}$
 $\frac{508}{1753}$

$(40 \times 71) , 289788732 \rightarrow \frac{823}{2840}$
 $\frac{133}{4593}$

etc 36 places

$$(\frac{1}{\pi} + 5)/13 = .40910076$$

ITEM 111

worksheet

$\frac{1}{\pi}$ zig-zag pattern

.40910076

2 .444


2 .250

3 .995

1 ,004

208 ,955

$\frac{1}{10} \dots \dots \dots$



(2x11)

$\frac{9}{22}$

$\frac{16}{39}$

$\frac{25}{61}$ etc 208 places

,409100758 !

(5x13x71) $\frac{1879}{4593}$

$\frac{1888}{4615}$

207

208

$$\text{John Harrison's } \left(\frac{1}{17}\right) + 2 = .579577471545 \dots$$

$$\frac{1}{4}$$

$-\frac{1}{m} - \frac{1}{m} - \frac{1}{m} - \frac{1}{m} - \frac{1}{m} - \frac{1}{m}$

$\frac{1}{10}$

$\frac{4}{13}$

Harrison about here

$\frac{5}{16}$

Salinas

$\frac{3}{10}$

$\frac{5}{17}$

Romieu

$\frac{8}{27}$

$\frac{3}{10}$

$\frac{7}{23}$

$\frac{19}{107}$

$\frac{3}{10}$

$\frac{5}{17}$

Zarlino

$\frac{7}{25}$

$\frac{1}{7}$

$\frac{7}{24}$

$\frac{1}{17}$

$\frac{2}{17}$

$\frac{2}{7}$

Zarlino

$\frac{7}{25}$

$\frac{1}{17}$

$\frac{7}{24}$

$\frac{1}{17}$

$\frac{5}{18}$

$\frac{5}{18}$

Kornelius about here

$\frac{7}{25}$

$\frac{1}{17}$

$\frac{7}{24}$

$\frac{1}{17}$

$\frac{3}{11}$

$\frac{3}{11}$

Romieu

$\frac{8}{29}$

$\frac{1}{17}$

$\frac{8}{29}$

$\frac{1}{17}$

$\frac{4}{15}$

$\frac{4}{15}$

Zarlino

$\frac{7}{26}$

$\frac{1}{17}$

$\frac{7}{26}$

$\frac{1}{17}$

$-\frac{1}{4}$

$-\frac{1}{4}$

Zarlino

$-\frac{1}{4}$

$-\frac{1}{4}$

Vincentino

$-\frac{1}{4}$

$\frac{3}{13}$

$\frac{3}{13}$

Zarlino

$\frac{1}{17}$

$\frac{1}{17}$

$\frac{1}{17}$

$\frac{1}{17}$

$\frac{2}{19}$

$\frac{2}{19}$

Rossi

$\frac{5}{22}$

$\frac{1}{17}$

$\frac{5}{22}$

$\frac{1}{17}$

$\frac{3}{14}$

$\frac{3}{14}$

Zarlino

$\frac{5}{23}$

$\frac{1}{17}$

$\frac{5}{23}$

$\frac{1}{17}$

$-\frac{1}{5}$

$-\frac{1}{5}$

Zarlino

$-\frac{1}{5}$

$-\frac{1}{5}$

$-\frac{1}{5}$

$-\frac{1}{5}$

$-\frac{1}{5}$

$-\frac{1}{5}$

Zarlino

$-\frac{1}{5}$

$-\frac{1}{5}$

$-\frac{1}{5}$

$-\frac{1}{5}$

$\frac{1}{16}$

$\frac{1}{16}$

Zarlino

$\frac{1}{11}$

$\frac{1}{11}$

$\frac{1}{11}$

$\frac{1}{11}$

$\frac{1}{16}$

$\frac{1}{16}$

Zarlino

$\frac{1}{11}$

$\frac{1}{11}$

$\frac{1}{11}$

$\frac{1}{11}$

$0\text{I} - 0\text{I} - 0\text{I} - 0\text{I} - 0\text{I}$

$0\text{I} -$

$0\text{I} -$

$0\text{I} -$

$0\text{I} -$

$0\text{I} -$

$\frac{1}{7} \quad \frac{2}{13} \quad \frac{1}{6} \quad \frac{3}{17} \quad \frac{2}{11} \quad \frac{3}{21} \quad \frac{1}{5} \quad \frac{4}{19} \quad \frac{3}{14} \quad \frac{5}{23}$

$57 \quad 109 \quad 122 \quad 177 \quad 55 \quad 153 \quad 98 \quad 141 \quad 43 \quad 117 \quad 74 \quad 105$

$31 \quad 143 \quad 112 \quad 193 \quad 81 \quad 212 \quad 131 \quad 181 \quad 56 \quad 169 \quad 119 \quad 188 \quad 69 \quad 157 \quad 88$

$\frac{1}{7} \quad \frac{2}{13} \quad \frac{1}{6} \quad \frac{3}{17} \quad \frac{2}{11} \quad \frac{3}{21} \quad \frac{1}{5} \quad \frac{4}{19} \quad \frac{3}{14} \quad \frac{5}{23}$

$57 \quad 109 \quad 122 \quad 177 \quad 55 \quad 153 \quad 98 \quad 141 \quad 43 \quad 117 \quad 74 \quad 105$

$31 \quad 143 \quad 112 \quad 193 \quad 81 \quad 212 \quad 131 \quad 181 \quad 56 \quad 169 \quad 119 \quad 188 \quad 69 \quad 157 \quad 88$

Common meantone Fifth

.576002

18 Jul 2003. & w

		<u>epimoria</u>
	<u>.576002</u>	
←	1 .736	$\frac{1}{1}$
→	1 .358	$\frac{1}{2} \rightarrow \frac{2}{3}$
←	2 .789	$\frac{3}{5} \leftarrow \frac{4}{7}$
→	1 .266	$\frac{7}{12}$
←	3 .748	$\frac{11}{19} \leftarrow \frac{15}{26}$
→	1 .336	$\frac{19}{33} \rightarrow \frac{34}{59}$
←	2 .975	$\frac{53}{92} \rightarrow \frac{72}{125}$
1	.024	$\frac{125}{217} \rightarrow \frac{197}{342}$
40	.660	42,750 / 42,749
		40 pl.
		6,625 / 6,624
		15,625 / 15,624
		1,122 / 1,121
		3,128 / 3,127

Golden section

		<u>epimoria</u>
	<u>1.618034</u>	
→	.618	$\frac{1}{1} \rightarrow \frac{2}{1} \cdots \frac{1}{0}$
←	.618	$\frac{3}{2} \leftarrow \frac{1}{1}$
→	.618	$\frac{5}{3} \rightarrow \frac{2}{1}$
←	.618	$\frac{8}{5} \leftarrow \frac{3}{2}$
→	.618	$\frac{13}{8} \rightarrow \frac{5}{3}$
←	.618	$\frac{21}{13} \leftarrow \frac{8}{5}$
→	.618	$\frac{34}{21} \rightarrow \frac{13}{8}$
←	.618	$\frac{55}{34} \leftarrow \frac{21}{13}$
etc.		$\frac{89}{55} \rightarrow \frac{13}{8}$
		$\frac{144}{89} \leftarrow \frac{89}{55}$
		$\frac{233}{144} \rightarrow \frac{144}{89}$
		$\frac{377}{233} \leftarrow \frac{233}{144}$
		$\frac{610}{377} \rightarrow \frac{233}{144}$
		$\frac{987}{610} \leftarrow \frac{610}{377}$
		$\frac{1597}{987} \rightarrow \frac{987}{610}$
		$\frac{2584}{1597} \leftarrow \frac{1597}{987}$
		2,550,409 / 2,550,408

π Zig-Zag

OCTOBER

$$\pi = 3.141592653\cdots$$

$1/\kappa$ Pattern

$\rightarrow 3 .141$
 $\leftarrow 7 .062$
 15 .996
 1 .003
 292 .634
 1 .575
 1 .738
 1 .354

Zig-Zag Pattern

$\frac{1}{3} \rightarrow 3/1 \rightarrow 4/1$
 $7/2 \downarrow$
 $10/3$
 $13/4$
 $19/5$
 $22/7 \leftarrow$
 $25/8 \rightarrow$
 $47/15$
 $69/22$
 $91/29$
 $113/36$
 $135/43$
 $157/50$
 $179/57$
 3.14
 $201/64$

does this occur in the literature?

$223/71$



$245/78$ $267/85$ $289/92$ $311/99$

$333/106$ $355/113 \leftarrow !!$

$688/219 \rightarrow$

279 places